CONTENTS

N. ROZSENICH
Opening address 1

Interdisciplinary opportunities of nanofabrication

E.D. WOLF
Nanofabrication: Opportunities for interdisciplinary research (*Invited Paper*) 5

U.B. SLEYTR, M. SARA and D. PUM
Application potentials of two-dimensional protein crystals (*Invited Paper*) 13

G. CHIU, J.-M. HALBOUT and P. MAY
High speed electron beam testing (*Invited Paper*) 21

Optical lithography

D.J. EHRLICH and M. ROTHSCHILD
Excimer laser projection lithography: Optical considerations (*Invited Paper*) 27

H. KAWATA, J.M. CARTER, A. YEN and H.I. SMITH
Optical projection lithography using lenses with numerical apertures greater than unity 31

K. EDEN, A.-M. KRINGS and H. BENEKING
Influence of DUV excimer laser radiation (λ=193 nm) on CMOS devices 37

G. TALOR and A. GUTMANN
Wide latitude image reversal process for 4M and 16M DRAMs 41

D. FLAGELLO and A. POMERENE
A single expose double develop (SEDD) process for self-aligned lithographic applications 47

J.S. GREENEICH and B. KATZ
Advanced submicron I-line wafer steppers 53

D.J. ELLIOTT and D.C. FERRANTI
Sub-micron lithography at 248 nm and 193 nm excimer laser wavelengths 59

K. EDEN, A.-M. KRINGS, H. BENEKING, M. MAUL and J. MÜLLER
Degradation of Cr- and $MoSi_2$ photomasks by 193 nm excimer laser radiation 65

H. ULRICH, R.W. WIJNAENDTS-van-RESANDT, N. KOOP, M. von SCHICKFUSS, C. RENSCH and W. EHRENSPERGER
Quality of microstructures produced by laser lithography and system performance 69

E.D. CASTEL and N. SHAMMA
Design and optimization of site-by-site alignment marks for a single polysilicon bipolar process 73

B. HUYNH and A.R. NEUREUTHER
Calibrated exposure and focus test patterns for characterization of optical projection printing 79

X-ray lithography

A. HEUBERGER
Progress in X-ray lithography (*Invited Paper; Abstract*) 85

Y. VLADIMIRSKY, D.P. KERN, W. MEYER-ILSE, B. GREINKE, P. GUTTMANN, S.A. RISHTON and D. ATTWOOD
Soft X-ray lenses with 400 Å outer zone width for nanostructure imaging (*Abstract*) 87

U. MACKENS, U. MESCHEDER, F. MUND, H. LÜTHJE, H. LIFKA, C.A.H. JUFFERMANS, P.H. WOERLEE and A.J. WALKER
Fabrication of 0.5 μm NMOS-devices by all level X-ray lithography 89

R. VISWANATHAN, R. ACOSTA, D. SEEGER, H. VOELKER, A.D. WILSON, I. BABICH, J. MALDONADO, J. WARLAUMONT, O. VLADIRMIRSKY, F. HOHN, D. CROCKATT and R. FAIR
Fully scaled 0.5 μm MOS circuits by synchrotron radiation X-ray lithography: Mask fabrication and characterization 93

D. SEEGER, K. KWIETNIAK, D. CROCKATT, A. WILSON and J. WARLAUMONT
Fully scaled 0.5 μm MOS circuits by synchrotron X-ray lithography: Resist systems and line width control 97

J.P. SILVERMAN, V. DIMILIA, D. KATCOFF, L.K. WANG, J.M. WARLAUMONT, A.D. WILSON, R. DEVENUTO, B. HILL, L.C. HSIA and R. RIPPSTEIN
Fully scaled 0.5 μm MOS circuits by synchrotron radiation X-ray lithography: Device fabrication and overlay evaluation 101

H. SHIMANO, T. KEISHI, S. NAKAMURA and T. TOMIMASU
Application of electron beam wobbling to SR X-ray lithography 105

W. WINDBRACKE, H.L. HUBER, P. STAUDT and G. ZWICKER
Fabrication of sub-half μm patterns for MOS devices by means of X-ray lithography and plasma etching 109

K. DEGUCHI, S. OHKI and T. HORIUCHI
A double contrast X-ray mask for high overlay accuracy 113

S. PONGRATZ, U. MESCHEDER, Ch. EHRLICH, H.-L. HUBER, K. KOHLMANN and W. WINDBRACKE
State of the art of pattern placement accuracy of silicon X-ray master masks 117

F. BIJKERK, G.E. van DORSSEN, M.J. van der WIEL, R. DAMMEL and J. LINGNAU
Laser plasma as X-ray source for lithographic imaging of submicron structures onto experimental X-ray resist 121

S. HASEGAWA, J. ITOH and N. ATODA
Mask contrast enhancement using beveled edge in X-ray lithography 127

K.M. STROHM, J. HERSENER and E. PIPER
X-ray lithography for monolithic millimeter wave integrated circuits 131

M. YAMADA, M. NAKAISHI, J. KUDOU, T. ESHITA and Y. FURUMURA
An X-ray mask using Ta and heteroepitaxially grown SiC 135

R.A. DellaGUARDIA, D.E. SEEGER and J.L. MAUER, IV
X-ray transmission through low atomic number particles 139

K. BREHM, K.-H. MÜLLER, E.-H. WAGEMANN and K. WERNER
Beamline design for homogeneous irradiation of large exposure fields using synchrotron radiation 143

M. GENTILI, A. LUCCHESINI, P. LUGLI, G. MESSINA, A. PAOLETTI, S. SANTANGELO, A. TUCCIARONE and G. PETROCCO
X-ray mask making by EBL and Monte Carlo analysis of a single-resist layer process on low-Z membrane 147

H. HUBER, U. SCHEUNEMANN, W. ROHRMOSER and E. CULLMANN
Application of X-ray steppers using optical alignment for synchrotron-based X-ray lithography 151

J. HERSENER, E. PIPER, A. WILHELM and G. BIRKENSTOCK
A MOSFET tetrode with 0.4 μm gates fabricated by mixed exposure of X-ray and DUV lithography 155

H. GUCKEL, D.W. BURNS, T.R. CHRISTENSON and H.A.C. TILMANS
Polysilicon X-ray masks 159

B. LÖCHEL, J. TRUBE, W. WINDBRACKE and H. HUBER
Application of pulse plating to form lead absorber patterns for X-ray masks 163

E. BASSOUS and A.C. LAMBERTI
Highly selective KOH-based etchants for boron-doped silicon structures 167

W.H. BRÜNGER
X-ray mask repair by electron beam induced metal deposition 171

R. PUTZAR, H.-C. PETZOLD, H. SCHAFFER and U. WEIGMANN
Laser induced photolytic tin deposition with high deposition rates for the repair of clear X-ray mask defects 175

Electron beam lithography

H.C. PFEIFFER
Progress and challenges in electron beam lithography (*Invited Paper; Abstract*) 181

S.A. RISHTON, D.P. KERN, E. KRATSCHMER and T.H.P. CHANG
Electron beam lithography of sub-0.1 μm circuits 183

A.N. BROERS, A.E. TIMBS and R. KOCH
Nanolithography at 350 kV in a TEM 187

H. BOHLEN, W. HAUG, M. KALLMEYER, J. KEYSER, W. KULCKE, K. MEISSNER and W. ZAPKA
Electron beam proximity printing 193

P.J. COANE, P.J. RUDECK, T. NEWMAN, A.D. WILSON and F.J. HOHN
Application of variable shaped electron beam technology to the development of 0.5 micron CMOS technology with extensions to 0.25 micron 195

B. LISCHKE, G. CHRISTALLER, K.-H. HERRMANN, A. HEUBERGER, E. KNAPEK, H. KNIEPKAMP, H. ROSE, W. RÜTTENAUER and G. SIEGEL
An e-beam comb-probe printer for nanolithography 199

U. SCHNAKENBERG, W. BENECKE, V. WALLENDSZUS, K.P. MÜLLER, A. HEUBERGER and B. LISCHKE
Multi electron beam lithography: Fabrication of a control unit 205

P. SCHÄFFER, H. SCHÄFER, R. HEYDEL, K.-H. HERRMANN, J. DROEMER and V. DREXEL
Electron optical design of an e-beam comb probe printer 209

S. VAIDYA, D.K. ATWOOD, E.H. KUNG and K.K. NG
A comparison of 20 kV and 50 kV e-beam lithography for MOS circuit fabrication 213

H.W.P. KOOPS
Capacity of electron beam reducing image projection systems with dynamically compensated field aberrations 217

B. WOLFSTÄDTER
Electron beam fabrication of 0.2 μm lines, suitable for GaAs MMIC processing 221

A.G. BROWN, H. WILLIS, S.H. MORTIMER, S.J. TILL and F.D.J. BOLLER
A direct-write electron beam lithographic technique for the fabrication of CMOS–SOS devices with sub-micron gate dimensions 225

V.V. ARISTOV, V.A. KUDRYASHOV and A.V. CHUKALIN
Electron beam lithography resolution upon exposure of superthick resist layers 231

H. OHKI, T. ASARI, H. TAKEMURA, M. ISOBE and K. MORIYA
Fabrication of grating patterns by e-beam lithography 235

E. FROYEN and F. COOPMANS
Writing strategy for e-beam lithography tools 239

B.J. HUGHES and N.F. RIX
Proximity correction on a vector scan e-beam machine by dosage variation 243

D.A. van LEEUWEN, R.J.M. van VUCHT, J. ROMIJN and E. van der DRIFT
Tungsten calibration markers for electron beam pattern generators 247

M. RÜB, H.W.P. KOOPS and Th. TSCHUDI
Electron beam induced deposition in a reducing image projector 251

J.M. TEIJIDO, H. BUCZEK and D. WUTHRICH
Manufacturing computer-generated holograms (CGH) by electron beam 255

G. SCHÖNECKER, R. SPEHR and H. ROSE
Design of an electron line cathode 259

R. SPEHR
Eddy currents in a wafer moving in the magnetic field of an electron lens 263

Ion beam lithography

W.L. BROWN
Recent progress in ion beam lithography (*Invited Paper*) 269

T. SHIOKAWA, P.H. KIM, M. HAMAGAKI, T. HARA, Y. AOYAGI, K. TOYODA and S. NAMBA
Microstructures of GaAs fabricated by finely focused ion beam lithography 277

J. ORLOFF, R.K. DeFREEZ, J. PURETZ, R.A. ELLIOTT, H. NAMBA, E. OMURA and H. NAMIZAKI
The effect of micromachining with focused ion beams on the life and power output of AlGaAs TJS lasers 281

M. KOMURO, O. KITAMURA and S. OKAYAMA
Ion beam fabrication using piezo-actuator and liquid metal source 285

G. STANGL, E. CEKAN, S. JAKOB, W. FALLMANN, F. PASCHKE, L.M. BUCHMANN, K.P. MÜLLER, L. CSEPREGI, A. HEUBERGER, E. HAMMEL, C. TRAHER, H. LÖSCHNER and G. STENGL
Resist materials for sub-0.5-μm pattern transfer with demagnifying ion projection lithography (IPL) 289

Comparison of optical, X-ray, electron and ion beam lithography

S. OKAZAKI
Comparison of optical, X-ray, electron and ion beam lithography (*Invited Paper*) 297

J.J. MURAY
Characteristics and applications of multiple beam machines 305

In situ (all vacuum) processing

H. AHMED
In-situ processing of semiconductors by combining MBE, lithography, pattern transfer, implantation and annealing (*Invited Paper*) 313

H. ARIMOTO, M. KOSUGI, H. KITADA and E. MIYAUCHI
Photochemical fine etching using FIB-induced damage in GaAs for in-situ dry processing 321

Physics and technology of sub-0.5-μm devices

G. BAUER
Physics of sub 0.5 μm structures (*Invited Paper*) 327

D.G. HASKO, C.G. SMITH, J.K. LUCEK, J.R.A. CLEAVER and H. AHMED
Fabrication and electrical, mechanical and thermal properties of sub-micron free-standing devices 337

W. De RAEDT, R. JONCKHEERE, M. Van HOVE, G. BORGHS, M. Van ROSSUM, L. Van den HOVE and R. BORN
Sub-100 nm gate MESFET by electron beam mix&match 341

I. ADESIDA, A.A. KETTERSON, T.L. BROCK, J. LASKAR, J. KOLODZEY, O. AINA and H. HIER
Fabrication and characterization of short gate-length InAlAs/InGaAs/InP MODFETs 345

D. MAILLY, M. ELKHATIB, A. BENOIT and H. LAUNOIS
Experimental setup for the measurement of persistent current in a GaAs/GaAlAs single loop 349

Y. TAKAGAKI, F. WAKAYA, Y. KUSUMI, S. TAKAOKA, Y. YUBA, K. GAMO, K. MURASE and S. NAMBA
Fabrication of narrow channels in GaAs–AlGaAs heterostructures and the lateral quantization effect 353

P. GRAMBOW, T. DEMEL, D. HEITMANN, M. KOHL, R. SCHÜLE and K. PLOOG
Preparation of one-dimensional single and multi-layered quantum wire structures by ultrafine deep mesa etching techniques 357

H. LEIER, A. FORCHEL, B.E. MAILE and G. WEIMANN
Fabrication and optical properties of GaAs-quantum wires produced by ion-implantation induced disordering 361

H. ARNOT, S.R. ANDREWS and S.P. BEAUMONT
Photoluminescence studies of GaAs–AlGaAs quantum dots 365

D.A. WHARAM, D.G. HASKO, M. PEPPER, H. AHMED, J.E.F. FROST, D.C. PEACOCK, D.A. RITCHIE and G.A.C. JONES
Physics and fabrication of one-dimensional sub-micron semiconducting channels 369

J.R. GAO, J. CARO, A.H. VERBRUGGEN, S. RADELAAR and J. MIDDELHOEK
Narrow channel Si-MOSFETs for electron transport studies 373

A. SHER, S. KRISHNAMURTHY and A.-B. CHEN
Transport in submicron devices 377

K.R. HOFMANN, A. LEPORE, H. LEE, M. LEVY, E. KOHN and A. ZLOTNICKA
Microwave and DC analysis of MODFETs with gate lengths down to 0.1 micrometer 381

Yu.P. BARYSHEV, A.A. DMITRIEV, A.D. KRIVOSPITSKY, V.F. LUKICHEV, A.A. ORLIKOVSKY and K.A. VALIEV
Josephson SNS microbridges fabricated by double electron beam lithography 385

Testing, inspection and metrology

R. LEVI-SETTI, J.M. CHABALA, Ph. HALLEGOT and Y.-L. WANG
Chemical characterization of electronic microstructures with sub-100 nm lateral resolution (*Invited Paper*) 391

F.E. ENDRUSCHAT, M. BÖRNER and K.-H. MÜLLER
Limits of electron optical defect inspection of X-ray lithography masks 401

M. BRUNNER, R. SCHMITT, D. WINKLER and B. LISCHKE
Non-invasive waveform measurements of IC-internal GHz signals in a ps time scale 405

H. TODOKORO, S. FUKUHARA, S. SEITOU, H. SHINADA and N. YAMAGUCHI
Electron beam tester for logic LSIs 411

T.T. TANG, S.C. LI and H. WANG
A new object lens with in-lens spectrometer and SE collector for e-beam testing 415

M.J. VERHEIJEN and L.A. FONTIJN
Surface metrology of 150 mm substrates with nanometer accuracy with the Philips beamwriter 419

A. KLUWE, S. RAUTHENBERG, F. FANDRICH, R. LUDWIG and K.-H. MÜLLER
Resolution limits of optical methods for the defect inspection of lithography masks 425

T.T. TANG, C. YAN and H. WANG
Study of a low voltage electrostatic electron beam probe system 429

J. FISER, J. HUSTAK, V. KOLARIK and A. SCHENK
An electron beam tester with field emission 433

W. MALKUSCH and S. MOLL
The accuracy of critical dimension measurements in scanning electron microscopes 437

H. MARTIN, D. BURLET, J.-L. BATAILLON and J. KHALLAAYOUNE
Optimization of the metrological SEM settings 441

A.R. DINNIS and A. KHURSHEED
The radial magnetic field analyser for voltage contrast 445

H.W.P. KOOPS, Yu. VLADIMIRSKY, M. RÜB and R. ERB
A self comparison method to measure distortions of fine gratings and to characterize electron beam systems 449

D. WINKLER, R. SCHMITT, M. BRUNNER and B. LISCHKE
The influence of the transit-time effect on propagation delay measurements by electron and photon beam techniques 453

V.R. NAGASWAMI
In-plane distortion in silicon wafers induced by a submicron CMOS process 457

D. SISCHKA and R. BISEK
Methods for mask defect detection using local criteria 463

Dry etching and microfabrication techniques

D. STEPHANI
Microfabrication of magnetic thin-film heads (*Invited Paper*) 469

G. SAUVÉ, M. MOISAN, J. PARASZCZAK, Y. ARNAL, J. HEINDENREICH and A. RICARD
Using surface wave produced plasmas to determine the frequency effect upon etching of polyimide in RF and microwave sustained plasmas 471

S. KÜPER and M. STUKE
Ablation of UV-transparent materials with femtosecond UV excimer laser pulses 475

K. NISHIOKA, N. FUJIWARA, M. YONEDA and T. KATO
Effects of plasma parameters on etching characteristics with ECR plasma 481

P. BUCHMANN, H.P. DIETRICH, G. SASSO and P. VETTIGER
Chemically assisted ion beam etching process for high quality laser mirrors 485

W. PILZ, H. HÜBNER, F. HEINRICH, P. HOFFMANN and M. FRANOSCH
Discussion in profile phenomena in sub-μm resist reactive ion etching 491

U. KLEIN and F. GÖTZ
Definition of geometries with complicated, curved boundaries for electron beam pattern generation 495

E. van der DRIFT, B.A.C. ROUSSEEUW, J. ROMIJN, E.C.M. PENNINGS and F.H. GROEN
High resolution patterning of aluminumoxide for integrated optical devices 499

J. PELKA, H.-C. SCHEER, P. HOFFMANN, W. HOPPE and Ch. HUTH
The problem of scattering in RIBE 503

P. VERDONCK, G. BRASSEUR and F. COOPMANS
Laser enhanced polymer etching in different ambients 507

Resists and submicron pattern transfer

G.N. TAYLOR, O. NALAMASU and L.E. STILLWAGON
Materials and processes for imaging at the resolution limits of optical lithography (*Invited Paper*) 513

A.S. GOZDZ and P.S.D. LIN
Simulation and fast e-beam nanofabrication of periodic structures 529

S. SUGITO, S. ISHIDA and Y. IIDA
Submicron pattern transfer with newly designed siloxane e-beam resist and Bias-ECR etcher 533

E. BABICH, J. PARASZCZAK, M. HATZAKIS, S. RISHTON, B. GRENON and H. LINDE
A comparison of the e-beam sensitivities and relative O_2-plasma stabilities of organosilicon polymers. Part III. Lithographic characteristics of poly-1,1,3-trimethyl-1-sila- and poly-1,1,3,3-tetramethyl-1,3-disilacyclobutenes and related silmethylene polymers 537

Y. YASUOKA, K. KANEKO, K. GAMO and S. NAMBA
Self-development of nitrocellulose and its mechanism 543

R. LEUSCHNER, R. SEZI, M. SEBALD, G. CZECH and D. STEPHANI
Optical lithography and O_2/RIE pattern transfer characteristics of the silicon-containing positive resist (SPR) 547

M.E. REUHMAN-HUISKEN, C.J.M. MUTSAERS, F.A. VOLLENBROEK and J.A.H.M. MOONEN
Towards an optimized image reversal process for half micron lithography 551

J.M. MACAULAY, R.M. ALLEN, L.M. BROWN and S.D. BERGER
Nanofabrication using inorganic resists 557

J.P.W. SCHELLEKENS
SUPER: A submicron positive dry etch resist; a candidate for DUV-lithography 561

B. MARTIN and A.N. ODELL
Wide latitude thermally induced image reversal lithography for high resolution metallisation 567

A. MENSCHIG, A. FORCHEL, R. DAMMEL, J. LINGNAU, U. SCHEUNEMANN, J. THEIS and S. PONGRATZ
High sensitivity positive tone X-ray resist: RAY-PF performance under e-beam exposure 571

R. DAMMEL, K.-F. DÖSSEL, J. LINGNAU, J. THEIS, H. HUBER, H. OERTEL and J. TRUBE
Negative-tone high-resolution photocatalytic resist for X-ray lithography 575

W.A. KRÄUTER and H.M. NOLL
Electron beam exposure of diazoquinone based resists 579

P. PANIEZ, A. SCHILTZ, M.J. BOUZID and E. DECHENAUX
Thermal flow properties of novolak polymers 585

F. POMMEREAU, M. IOST, F. VOLLENBROEK and S. GOURRIER
Resist profile control of image reversal process in contact lithography 591

N.N. KUNDU, K.I. ARSHAK, B.P. MATHUR and S.N. GUPTA
Resist exposure optimization using figure of merit of resist profile 595

N.C. SHARMA and V.D. KULKARNI
Contrast enhancement lithography for patterning of metal pillar interconnections 599

Process control and simulation

S. SELBERHERR
Process modeling (*Invited Paper*) 605

V. LAUER and P. BALK
Process induced radiation damage in MOS structures 611

E.D. CASTEL, R.A. HUGHES and G.B. MOSLEHI
Photolithography in an open area environment: The OASIS project 615

P. THOREN, I.W. RANGELOW, R. KASSING and P. KÜCHER
Three-dimensional simulation of sputter deposition processes for sub-μm technologies 621

M. SINGH, N.R. RAJOPADHYE, N.K.L. RAJA and W.S. KHOKLE
EBIC probing – A possible tool for the verification of simulated electron beam exposure widths 625

J. CHLEBEK, H.-L. HUBER, H. OERTEL, M. WEISS, R. DAMMEL, J. LINGNAU and J. THEIS
Computer-aided resist modelling with extended XMAS in X-ray lithography 629

R. SPEHR
Demonstration of the influence of the energy width on probe broadening by computer simulation 635

Author Index 639